

# SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **Magna Tac M-688**

**Other means of identification** : Not available.

**Recommended use of the chemical and restrictions on use**

: Adhesives  
No restrictions on use known.

**Chemical family** : Mixture

**Name, address, and telephone number of the supplier:**

**Beacon Adhesives**

125 Macquesten Parkway South  
Mount Vernon, NY, USA  
10550

Supplier's Telephone # : (914) 699 3400

**24 Hr. Emergency Tel #** : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).

**Name, address, and telephone number of the manufacturer:**

Refer to supplier

## SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Amber liquid. Amine odor.

Most important hazards :Causes skin and eye irritation. May cause an allergic skin reaction. Contains material which can cause cancer. Contains material which can cause birth defects based on animal data. Occupational exposure to the substance or mixture may cause adverse effects. Toxic to aquatic life with long lasting effects. Avoid release to the environment.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Hazardous classification:

- Skin corrosion/irritation - Category 2
- Eye damage/irritation - Category 2A
- Skin sensitization - Category 1
- Carcinogenicity - Category 1

Physical Hazards Not Otherwise Classified (PHNOC) :Not applicable  
Health Hazards Not Otherwise Classified (HHNOC) :Not applicable

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

DANGER!

*Hazard statement(s)*

- Causes skin irritation.
- Causes eye irritation.
- May cause an allergic skin reaction.
- May cause cancer.

## SAFETY DATA SHEET

### Precautionary statement(s)

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Avoid breathing fumes or mists.  
 Wash hands and face thoroughly after handling.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves/clothing and eye/face protection.

IF exposed: Call a Poison Center or doctor/physician.  
 IF ON SKIN: Wash with plenty of soap and water.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 If eye irritation persists: get medical advice/attention.

Dispose of contents/container in accordance with local regulation.

### Other hazards

Other hazards which do not result in classification:

Toxic fumes may be released during a fire. Mild respiratory irritant. May cause gastrointestinal irritation. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Bisphenol A diglycidyl ether	Epoxy resin	1675-54-3	45.0 - 70.0
Silica	Not available.	14808-60-7	0.1 - 1.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Do not induce vomiting. Never give anything by mouth to a person who is unconscious or is having convulsions. Call a physician.
- Inhalation* : Move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. Call a physician.
- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

- : Causes skin irritation. Contact may cause redness, swelling and a painful sensation. Causes eye irritation. Symptoms may include mild redness and swelling. May cause severe skin sensitization with allergic contact dermatitis symptoms such as swelling, rash and eczema. Mild respiratory irritant. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

#### Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

*Suitable extinguishing media*

- : Carbon dioxide (CO<sub>2</sub>); Dry chemical; Alcohol resistant foam

## SAFETY DATA SHEET

### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### **Special hazards arising from the substance or mixture / Conditions of flammability**

- : Not considered flammable. However, may burn if exposed to extreme heat and flame. Vapors are heavier than air and may spread along floors. The pressure in sealed containers can increase under the influence of heat.

### **Flammability classification (OSHA 29 CFR 1910.106)**

- : Not flammable.

### **Hazardous combustion products**

- : Carbon oxides; Phenols; Aldehydes; Other unidentified organic compounds.

### **Special protective equipment and precautions for firefighters**

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

#### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

- : Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** : Prevent product from entering drains, sewers, waterways and soil.

### **Methods and material for containment and cleaning up**

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

### **Special spill response procedures**

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802).  
US CERCLA Reportable quantity (RQ): See section 15.

## SECTION 7. HANDLING AND STORAGE

### **Precautions for safe handling**

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Persons with recurrent skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted.  
Provide adequate ventilation. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Avoid breathing fumes or mists. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

**Conditions for safe storage** : Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

## SAFETY DATA SHEET

**Incompatible materials** : Strong oxidizing agents; Strong acids; Strong bases; Amines

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Bisphenol A diglycidyl ether	N/Av	N/Av	N/Av	N/Av
Silica	0.025 mg/m <sup>3</sup> (respirable)	N/Av	0.1 mg/m <sup>3</sup> (respirable) (final rule limit)	N/Av

#### Exposure controls

##### **Ventilation and engineering measures**

: Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

##### **Respiratory protection**

: If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29CFR 1910.134). Advice should be sought from respiratory protection specialists.

##### **Skin protection**

: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Depending on conditions of use, safety shoes and additional protective clothing may also be necessary.

##### **Eye / face protection**

: Wear eye/face protection. Wear as appropriate: Safety glasses with side shields; Tightly fitting safety goggles. A full face shield may also be necessary.

##### **Other protective equipment**

: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

##### **General hygiene considerations**

: Avoid breathing fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice. Contaminated work clothing must not be allowed out of the workplace.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** : Liquid  
**Colour** : amber  
**Odour** : Amine odor.  
**Odour threshold** : N/Av  
**pH** : N/Av  
**Melting Point/Freezing point** : N/Av  
**Initial boiling point and boiling range**  
: > 200°C  
**Flash point** : > 93.3°C  
**Flashpoint (Method)** : Cleveland Open Cup  
**Evaporation rate (BuAe = 1)** : N/Av  
**Flammability** : Not applicable.  
**Lower explosion or flammability limit (% by vol.)**  
: N/Av  
**Upper explosion or flammability limit (% by vol.)**  
: N/Av  
**Oxidizing properties** : N/Av  
**Explosive properties** : Not explosive

## SAFETY DATA SHEET

**Vapour pressure** : Low  
**Relative vapour density** : > 1 (Air = 1)  
**Relative density / Specific gravity**  
: 1.2  
**Solubility in water** : Insoluble or very slightly soluble in water.  
**Other solubility(ies)** : N/Av  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: N/Av  
**Auto-ignition temperature** : N/Av  
**Decomposition temperature** : N/Av  
**Viscosity** : 800 cPs @ 25°C  
**Particle characteristics** : N/Av  
**Volatiles (% by weight)** : 8%  
**Volatile organic Compounds (VOC's)**  
: None.  
**Absolute pressure of container**  
: N/Av  
**Flame projection length** : N/Av  
**Other physical/chemical comments**  
: No additional information.

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not normally reactive.  
**Chemical stability** : Stable under normal conditions.  
**Possibility of hazardous reactions**  
: Hazardous polymerization does not occur.  
**Conditions to avoid** : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.  
**Incompatible materials** : Strong oxidizing agents; Strong acids; Strong bases; Amines; Mercaptans  
**Hazardous decomposition products**  
: Peroxides Refer also to hazardous combustion products, Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

**Routes of entry inhalation** : YES  
**Routes of entry skin & eye** : YES  
**Routes of entry Ingestion** : YES  
**Routes of exposure skin absorption**  
: YES

#### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

: Mild respiratory irritant. May cause coughing and breathing difficulties.

##### *Sign and symptoms ingestion*

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

##### *Sign and symptoms skin*

: May cause moderate skin irritation. Contact may cause redness, swelling and a painful sensation.

##### *Sign and symptoms eyes*

: Causes eye irritation. May cause redness and swelling of the conjunctiva.

## SAFETY DATA SHEET

### Potential Chronic Health Effects

: Not available.

### Mutagenicity

: No data available to indicate the product, or any components present at greater than 1%, are classified as hazardous for target organ toxicity.

### Carcinogenicity

: Carcinogenic Category 1 May cause cancer. Contains crystalline silica. Crystalline silica is classified as carcinogenic by IARC (Group 1), the ACGIH (Category A2) and the NTP (Group 1 - Known human carcinogen).

### Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

### Sensitization to material

: Skin sensitization - Category 1. May cause an allergic skin reaction. May cause severe skin sensitization with allergic contact dermatitis symptoms such as swelling, rash and eczema. Not expected to be a respiratory sensitizer.

### Specific target organ effects

: According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

### Medical conditions aggravated by overexposure

: Not available.

### Synergistic materials

: Not available.

### Toxicological data

: Not classified for acute toxicity based on available data.

There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Bisphenol A diglycidyl ether	N/Av	>2000 mg/kg	>2000 mg/kg
Silica	N/Av	N/Av	N/Av

### Other important toxicological hazards

: Not applicable

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

: Toxic to aquatic life with long lasting effects. No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.

### Ecotoxicity data:

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC<sub>50</sub> / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Bisphenol A diglycidyl ether	1675-54-3	1.5 mg/L (Rainbow trout)	N/Av	None.
Silica	14808-60-7	N/Av	N/Av	None.

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Bisphenol A diglycidyl ether	1675-54-3	2.7 mg/L (Daphnia magna)	0.3 mg/L	1
Silica	14808-60-7	N/Av	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Bisphenol A diglycidyl ether	1675-54-3	9.4 mg/L (Green algae)	N/Av	None.
Silica	14808-60-7	N/Av	N/Av	None.

**Persistence and degradability**

: The product itself has not been tested.

**Bioaccumulation potential**

: The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Bisphenol A diglycidyl ether (CAS 1675-54-3)	N/Av	N/Av

**Mobility in soil**

: The product itself has not been tested.

**Other Adverse Environmental effects**

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**SECTION 13. DISPOSAL CONSIDERATIONS****Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

**Methods of Disposal**








: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

## SAFETY DATA SHEET

**SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
<b>49CFR/DOT Additional information</b>	None.				
TDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin )	9	III	 
<b>TDG Additional information</b>	This material may be shipped as an exempted marine pollutant in accordance with TDG Section 1.45.1 and Special Provision 99.				
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)	9	III	 
<b>IMDG Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 5.0 Litres; in packages not exceeding 30 kg gross mass. The environmentally hazardous substance mark must appear on packagings holding more than 5 litres of the material.				
ICAO/IATA	UN3082	Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)	9	III	 
<b>ICAO/IATA Additional information</b>	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material. The environmentally hazardous substance mark must appear on packagings holding more than 5 litres of the material.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See Section 12 for more environmental information.

**SECTION 15 - REGULATORY INFORMATION**

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
Bisphenol A diglycidyl ether	1675-54-3	Yes	N/Ap	N/Av	No	N/Ap
Silica	14808-60-7	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Skin irritation; Eye irritation; Skin sensitization; Carcinogenicity

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Bisphenol A diglycidyl ether	1675-54-3	No	N/Ap	No	No	No	No	No	No
Silica	14808-60-7	Yes	Cancer (airborne particles of respirable size)	No	Yes	Yes	Yes	Yes	Yes

**Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

**International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Bisphenol A diglycidyl ether	1675-54-3	216-823-5	Present	Present	(4)-209; (7)-1283	KE-03162	Present	HSR002965
Silica	14808-60-7	238-878-4	Present	Present	(1)-548	KE-29983	Present	HSR003125

**SECTION 16. OTHER INFORMATION****Legend**

: ACGIH: American Conference of Governmental Industrial Hygienists  
AICS: Australian Inventory of Chemical Substances  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
EC50: Effective Concentration 50%  
EINECS: European Inventory of Existing Commercial chemical Substances  
ENCS: Existing and New Chemical Substances  
EPA: Environmental Protection Agency  
IARC: International Agency for Research on Cancer  
IECSC: Inventory of Existing Chemical Substances  
IMDG: International Maritime Dangerous Goods  
IOC: Inventory of Chemicals  
KECI: Korean Existing Chemicals Inventory  
KECL: Korean Existing Chemicals List  
LC: Lethal Concentration  
LD: Lethal Dose  
N/Ap: Not Applicable  
N/Av: Not Available  
NIOSH: National Institute of Occupational Safety and Health  
NOEC: No observable effect concentration  
NTP: National Toxicology Program  
OECD: Organisation for Economic Co-operation and Development  
OSHA: Occupational Safety and Health Administration  
PEL: Permissible exposure limit  
PICCS: Philippine Inventory of Chemicals and Chemical Substances  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TSCA: Toxic Substance Control Act  
TWA: Time Weighted Average

### SAFETY DATA SHEET

- References** :
- 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
  - 2. ECHA - European Chemical Agency
  - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
  - 4. Safety Data Sheets from manufacturer.
  - 5. US EPA Title III List of Lists
  - 6. California Proposition 65 List
  - 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

**Preparation Date (mm/dd/yyyy)** : 05/12/2020

**Reviewed Date SDS (dd/mm/yyyy)** : 23/06/2025

**Revision No.** : 2

**Revision Information** : 2. HAZARDS IDENTIFICATION 3. COMPOSITION/INFORMATION ON INGREDIENTS  
9. PHYSICAL AND CHEMICAL PROPERTIES 11. TOXICOLOGICAL INFORMATION  
15. REGULATORY INFORMATION

**Other special considerations for handling** : Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b> Beacon Adhesives 125 Macquesten Parkway South Mount Vernon, NY 10550 Telephone: (914) 699 3400</p>	
<p><b><u>Prepared by:</u></b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Beacon Adhesives and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Beacon Adhesives. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Beacon Adhesives.

**END OF DOCUMENT**